

DP

PARALEL ŞAFT REDÜKTÖRLER PARALLEL SHAFT GEARED MOTORS




 **dinamik**
motor redüktör



TEKNİK KATALOG
TECHNICAL CATALOGUE

GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.12	0.06	15000	0.80	22323	DP876 63M4A
	0.07	12600	0.95	19048	
	0.08	10800	1.10	16656	
	0.09	9870	1.20	14722	
	0.11	7980	1.50	12912	
	0.12	7090	1.70	11656	
	0.14	6300	1.90	10191	
	0.09	9590	0.80	14767	DP776 63M4A
	0.12	7610	1.00	11348	
	0.14	5890	1.30	10039	
	0.16	4880	1.55	8548	
	0.18	4740	1.60	7674	
	0.20	4120	1.85	6767	
	0.23	3530	2.2	5954	
	0.26	3070	2.5	5223	
	0.30	2890	2.7	4567	
	0.39	2140	3.6	3521	
	0.19	4800	0.90	7328	DP676 63M4A
	0.21	4040	1.05	6469	
	0.25	3680	1.15	5615	
	0.28	3200	1.35	4961	
	0.32	2800	1.55	4333	
	0.35	2550	1.70	3906	
	0.41	2210	1.95	3352	DP675 63M4A
	0.47	1820	2.4	2907	
	0.54	1670	2.6	2553	
	0.28	3250	0.90	4954	DP574 63M4A
	0.33	2690	1.00	4245	
	0.37	2200	1.35	3721	
	0.43	2140	1.40	3244	
	0.48	1900	1.60	2881	
	0.54	1700	1.75	2576	
	0.63	1440	2.1	2199	
	0.72	1240	2.4	1930	
	0.81	1120	2.7	1709	
	0.92	980	3.0	1493	
	1.1	785	3.8	1300	
	1.2	710	4.2	1148	
	0.53	1750	0.85	2613	DP475 63M4A
	0.60	1520	1.00	2284	
	0.68	1340	1.10	2029	
	0.80	1130	1.35	1728	
0.89	1040	1.45	1544		
1.0	910	1.65	1354		
1.1	810	1.85	1200		
1.3	710	2.1	1053		
1.5	605	2.5	910		
1.7	501	2.9	810		
1.9	445	3.4	710		
0.97	920	0.90	1429	DP375 63M4A	
1.1	830	1.00	1271		
1.2	700	1.15	1102		
1.4	615	1.35	970		
1.6	540	1.50	858		
1.8	475	1.75	755		
2.2	405	2.0	641		
2.4	375	2.2	572		
2.7	320	2.6	509		
3.2	275	3.0	437		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.12	3.9	290	2.8	228.99	DP373 63M4A
	4.6	250	3.3	195.39	
	5.3	220	3.8	170.85	
	5.6	205	4.0	162.31	
	6.3	181	4.5	142.40	
	1.4	655	0.90	967	DP285 63M4A
	1.6	585	1.05	851	
	1.9	500	1.20	738	
	2.1	435	1.40	646	
	2.5	370	1.60	558	
	2.7	330	1.80	506	
	3.0	285	2.1	452	
	3.2	295	2.0	426	
	3.6	260	2.3	382	
	4.2	225	2.7	330	
	4.6	200	3.0	298	
	5.3	177	3.4	262	
	4.5	255	2.4	199.70	DP283 63M4A
	4.9	235	2.6	183.60	
	5.7	200	3.0	157.09	
	6.6	173	3.5	136.16	
	7.1	162	3.7	127.27	
	6.9	166	3.6	199.70	
	7.5	153	3.9	183.60	
	8.8	130	4.6	157.09	
	10	113	5.3	136.16	
	2.2	425	0.95	622	DP275 63M4A
	2.5	370	1.10	543	
	2.9	320	1.25	475	
	3.3	280	1.45	419	
	2.6	365	1.10	524	
	2.8	340	1.20	489	
	3.2	290	1.35	427	
	3.6	260	1.55	381	
	4.1	225	1.75	334	
	4.7	198	2.0	295	
	5.4	166	2.4	253	
	7.2	158	2.5	190.76	DP273 63M4A
	7.9	146	2.8	175.38	
	9.2	125	3.2	150.06	
	11	108	3.7	130.07	
	4.7	245	1.65	190.76	DP273 63M6B
	5.1	225	1.80	175.38	
	6.0	191	2.1	150.06	
	6.9	166	2.4	130.07	
	7.4	155	2.6	121.57	
	8.6	134	3.0	105.09	
10	114	3.5	89.29		
11	102	3.9	79.72		
7.0	164	1.20	128.51	DP173 63M6B	
7.6	150	1.35	117.88		
9.0	128	1.55	100.36		
10	110	1.80	86.53		
11	103	1.95	80.65		
11	107	1.85	128.51	DP173 63M4A	
12	98	2.0	117.88		
14	83	2.4	100.36		
16	72	2.8	86.53		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.12	17	67	3.0	80.65	DP173 63M4A
	20	59	3.4	70.50	
	21	55	3.6	66.09	
	24	48	4.1	58.32	
	25	45	4.4	54.54	
	27	43	4.7	51.70	
	29	39	5.1	47.02	
	31	36	5.5	43.83	
	36	32	6.3	38.31	
	38	30	6.7	35.91	
	44	26	7.6	31.69	
	49	23	8.6	28.09	
	58	20	10	23.88	
	58	20	10	23.63	DP172 63M4A
	67	17	12	20.57	
	72	16	13	19.27	
	81	14	14	17.03	
	87	13	15	15.81	
	96	12	17	14.33	
	107	11	19	12.87	
125	9.2	21	11.08		
132	8.7	21	10.42		
154	7.4	24	8.97		
186	6.2	23	7.44		
205	5.6	25	6.74		
228	5.0	27	6.05		
265	4.3	29	5.21		
282	4.1	29	4.90		
327	3.5	31	4.22		
0.18	0.10	13500	0.90	12912	DP876 63M4B
	0.11	12100	1.00	11656	
	0.13	10700	1.10	10191	
	0.15	8980	1.35	8831	
	0.17	7770	1.55	7643	
	0.20	7150	1.70	6715	
	0.15	8560	0.90	8548	DP776 63M4B
	0.17	8050	0.95	7674	
	0.20	7030	1.10	6767	
	0.22	6090	1.25	5954	
	0.25	5310	1.45	5223	
	0.26	4860	1.60	4567	
	0.37	3660	2.1	3521	DP775 63M4B
	0.43	2170	2.4	3037	
	0.48	2880	2.7	3756	
	0.56	2470	3.1	2369	
	0.64	2160	3.6	2068	
	0.30	4660	0.90	4333	DP676 63M4B
	0.34	4260	1.00	3906	
	0.39	3670	1.15	3352	DP675 63M4B
0.45	3100	1.40	2907		
0.52	2790	1.55	2553		
0.59	2450	1.75	2245		
0.67	2130	2.0	1970		
0.77	1890	2.3	1722		
0.86	1670	2.6	1527		
0.99	1380	3.1	1327		
1.1	1280	3.3	1171		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.18	0.46	3160	0.95	2881	DP575 63M4B
	0.51	2820	1.05	2576	
	0.60	2400	1.25	2199	
	0.68	2080	1.45	1930	
	0.77	1860	1.60	1709	
	0.88	1640	1.85	1493	
	1.0	1350	2.2	1300	
	1.1	1210	2.5	1148	
	1.3	1050	2.9	1010	
	1.5	940	3.2	887	
	1.7	810	3.7	780	
	0.76	1880	0.80	1728	DP475 63M4B
	0.86	1710	0.90	1544	
	0.98	1500	1.00	1354	
	1.1	1330	1.15	1200	
	1.2	1170	1.30	1053	
	1.5	1000	1.50	910	
	1.6	860	1.75	810	
	1.9	755	2.0	710	
	2.2	670	2.2	615	
	3.1	555	2.7	281.71	DP473 71M6A
	3.3	520	2.9	262.93	
	3.8	445	3.4	225.79	
	1.5	910	0.90	858	DP375 63M4B
	1.8	800	1.00	755	
	2.1	685	1.20	641	
	2.3	625	1.30	572	
	2.6	540	1.50	509	
	3.0	470	1.75	437	
	3.4	420	1.95	384	
	2.6	560	1.45	500	
	2.9	510	1.60	454	
	3.4	440	1.85	392	
	4.0	370	2.2	333	
	4.4	325	2.5	297	
	5.1	285	2.9	261	
	5.6	260	3.2	238	
	6.6	215	3.8	200	
	3.8	450	1.80	228.99	DP373 71M6A
	4.4	385	2.1	195.39	
	5.1	340	2.4	170.85	
	5.8	300	2.8	228.99	DP373 63M4B
	6.8	255	3.2	195.39	
	7.7	225	3.7	170.85	
	2.4	615	1.00	558	DP285 63M4B
	2.6	550	1.10	506	
	2.9	485	1.25	452	
	3.4	415	1.45	386	
3.9	360	1.65	338		
3.1	485	1.25	426		
3.5	430	1.40	382		
4.0	370	1.60	330		
4.4	335	1.80	298		
5.0	295	2.0	262		
5.8	250	2.4	226		
6.6	215	2.8	200		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.18	4.4	395	1.50	199.70	DP283 71M6A
	4.7	365	1.65	183.60	
	5.5	310	1.95	157.09	
	6.4	270	2.2	136.16	
	6.8	250	2.4	127.27	
	7.9	215	2.8	110.01	
	6.6	260	2.3	199.70	DP283 63M4B
	7.2	240	2.5	183.60	
	8.4	205	2.9	157.09	
	9.7	177	3.4	136.16	
	10	166	3.6	127.27	
	3.6	1400	1.00	370	DP275 63M4B
	4.1	365	1.10	324	
	4.6	315	1.25	288	
	5.3	270	1.50	249	
	4.0	375	1.05	334	
	4.5	330	1.20	295	
	5.2	280	1.45	253	
	6.1	245	1.60	217	
	7.0	215	1.85	190	
	7.4	200	2.0	178	
	4.6	375	1.05	190.79	DP273 71M6A
	5.0	345	1.15	175.38	
	5.8	295	1.35	150.06	
	6.7	255	1.55	130.07	
	7.2	240	1.65	121.57	
	6.9	250	1.60	190.76	DP273 63M4B
	7.5	230	1.75	175.38	
	8.8	195	2.0	150.06	
	10	169	2.4	130.07	
	11	158	2.5	121.57	
	7.4	235	0.85	117.88	DP173 71M6A
	8.7	198	1.00	100.36	
	10	171	1.15	86.53	
	11	159	1.25	80.65	
	12	139	1.45	70.50	
	10	167	1.20	128.51	DP173 63M4B
	11	154	1.30	117.88	
	13	131	1.55	100.36	
	15	113	1.75	86.53	
	16	105	1.90	80.65	
	19	92	2.2	70.50	
	20	86	2.3	66.09	
	23	76	2.6	58.32	
24	71	2.8	54.54		
26	67	3.0	51.70		
28	61	3.3	47.02		
30	57	3.5	43.83		
34	50	4.0	38.31		
37	47	4.3	35.91		
42	41	4.8	31.69		
47	37	5.5	28.09		
55	31	6.4	23.88		
56	31	6.5	23.63	DP172 63M4B	
64	27	7.5	20.57		
69	25	8.0	19.27		
78	22	9.0	17.03		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.18	83	21	9.7	15.81	DP172 63M4B
	92	19	11	14.33	
	103	17	12	12.87	
	119	14	13	11.08	
	127	14	14	10.42	
	147	12	15	8.97	
	178	9.7	15	7.44	
	196	8.8	16	6.74	
	218	7.9	17	6.05	
	253	6.8	18	5.21	
	269	6.4	19	4.90	
313	5.5	20	4.22		
0.25	0.15	13300	0.90	8831	DP876 71M4A
	0.17	11500	1.05	7643	
	0.19	10400	1.15	6715	
	0.22	9190	1.30	5925	
	0.25	7860	1.55	5153	
	0.29	6850	1.75	4533	
	0.22	9000	0.85	5954	DP776 71M4A
	0.25	7860	1.00	5223	
	0.28	7090	1.10	4567	
	0.37	5370	1.45	3521	DP775 71M4A
	0.43	4680	1.65	3037	
	0.47	4240	1.80	2756	
	0.55	3650	2.1	2369	
	0.63	3180	2.4	2068	
	0.81	2440	3.2	1597	
	0.93	2110	3.6	1401	
	0.45	4530	0.95	2907	DP675 71M4A
	0.51	4050	1.05	2553	
	0.58	3560	1.20	2245	
	0.66	3100	1.40	1970	
	0.75	2740	1.55	1722	
	0.85	2430	1.75	1527	
	0.98	2040	2.1	1327	
	1.1	1860	2.3	1171	
	1.3	1630	2.6	1022	
	0.67	3040	1.00	1930	DP575 71M4A
	0.76	2710	1.10	1709	
	0.87	2380	1.25	1493	
	1.0	1990	1.50	1300	
	1.1	1780	1.70	1148	
	1.3	1550	1.95	1010	
	1.5	1370	2.2	887	
	1.7	1200	2.5	780	DP574 71M4A
1.9	1020	2.9	674		
1.2	1690	0.90	1053	DP475 71M4A	
1.4	1450	1.05	910		
1.6	1260	1.20	810		
1.8	1110	1.35	710		
2.1	970	1.55	615		
2.4	850	1.75	538	DP474 71M4A	
2.7	760	2.0	480		
3.2	645	2.3	413		
3.1	765	1.95	281.71	DP473 71M6B	
3.3	715	2.1	262.93		
3.9	615	2.5	225.79		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.25	4.4	540	2.8	198.31	DP473 71M6B
	4.7	510	2.9	188.40	
	2.0	1000	0.80	641	DP375 71M4A
	2.3	910	0.90	572	
	2.6	795	1.05	509	
	3.0	685	1.20	437	
	2.6	810	1.00	500	
	2.9	740	1.10	454	
	3.3	635	1.30	392	
	3.9	535	1.55	333	
	4.4	475	1.70	297	
	5.0	420	1.95	261	
	5.5	375	2.2	238	
	3.8	620	1.30	228.99	DP373 71M6B
	4.5	530	1.55	195.39	
	5.2	465	1.75	170.85	
	5.4	440	1.85	162.31	
	6.2	385	2.1	142.40	
	5.7	420	1.95	228.99	DP373 71M4A
	6.7	360	2.3	195.39	
	7.6	315	2.6	170.85	
	8.0	300	2.8	162.31	
	9.1	260	3.1	142.40	
	3.4	605	1.00	386	DP285 71M4A
	3.8	525	1.15	338	
	5.1	400	1.50	255	
	3.4	625	0.95	382	
	3.9	535	1.10	330	
	4.4	485	1.25	298	
	5.0	425	1.40	262	
	5.8	360	1.65	226	
	6.5	320	1.90	200	
	7.7	270	2.2	170	
	4.4	540	1.10	199.70	DP283 71M6B
	4.8	500	1.20	183.60	
	5.6	425	1.40	157.09	
	6.5	370	1.60	136.16	
	6.9	345	1.75	127.27	
	8.0	300	2.0	110.01	
	6.5	365	1.65	199.70	DP283 71M4A
	7.1	335	1.80	183.60	
	8.3	290	2.1	157.09	
9.6	250	2.4	136.16		
10	235	2.6	127.27		
12	200	3.0	110.01		
5.2	395	1.00	249	DP275 71M4A	
6.0	350	1.15	218		
6.7	305	1.30	193		
7.4	280	1.45	175		
5.1	405	1.00	253		
6.0	355	1.10	217		
6.8	310	1.30	190		
7.3	290	1.40	178		
8.7	240	1.65	149		
9.9	210	1.90	131		
5.9	405	1.00	150.06	DP273 71M6B	
6.8	355	1.15	130.07		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.25	7.2	330	1.20	121.57	DP273 71M6B
	8.4	285	1.40	105.09	
	6.8	350	1.15	190.76	DP273 71M4A
	7.4	320	1.25	175.38	
	8.7	275	1.45	150.06	
	10	240	1.65	130.07	
	11	225	1.80	121.57	
	12	193	2.1	105.09	
	15	164	2.4	89.29	
	10	235	0.85	128.51	DP173 71M4A
	11	215	0.90	117.88	
	13	184	1.10	100.36	
	15	159	1.25	86.53	
	16	148	1.35	80.65	
	18	130	1.55	70.50	
	20	121	1.65	66.09	
	22	107	1.85	58.32	
	24	100	2.0	54.54	
	25	95	2.1	51.70	
	28	86	2.3	47.02	
	30	81	2.5	43.83	
	34	70	2.8	38.31	
	36	66	3.0	35.91	
	41	58	3.4	31.69	
	46	52	3.9	28.09	
	54	44	4.6	23.88	
	55	43	4.6	23.63	DP172 71M4A
	63	38	5.3	20.57	
	67	35	5.7	19.27	
	76	31	6.4	17.03	
	82	29	6.9	15.81	
	91	26	7.6	14.33	
101	24	8.5	12.87		
117	20	9.3	11.08		
125	19	9.7	10.42		
145	17	11	8.97		
175	14	11	7.44		
193	12	11	6.74		
215	11	12	6.05		
249	9.6	13	5.21		
265	9.0	13	4.90		
308	7.7	14	4.22		
0.37	0.21	14900	0.80	6715	DP876 71M4B
	0.23	13100	0.90	5925	
	0.27	11300	1.05	5153	
	0.30	9850	1.20	4533	
	0.35	8590	1.40	3926	
	0.40	7510	1.60	3454	
	0.46	6570	1.85	3031	
	0.45	6720	1.15	3037	DP775 71M4B
	0.50	6090	1.25	2756	
	0.58	5240	1.45	2369	
	0.67	4570	1.70	2068	
	0.86	3510	2.2	1597	
	0.61	5070	0.85	2245	DP675 71M4B
	0.70	4430	0.95	1970	
0.80	3900	1.10	1722		
0.90	3460	1.25	1527		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.37	1.0	2930	1.45	1327	DP675 71M4B
	1.2	2650	1.60	1171	
	1.4	2310	1.85	1022	
	1.5	1960	2.2	898	
	1.1	2870	1.05	1300	DP575 71M4B
	1.2	2550	1.20	1148	
	1.4	2230	1.35	1010	
	1.6	1970	1.50	887	
	1.8	1720	1.75	780	DP574 71M4B
	2.0	1470	2.0	674	
	2.3	1340	2.2	609	
	2.7	1130	2.7	515	
	3.0	1000	3.0	452	
	3.3	1060	2.8	270.68	
	3.5	1000	3.0	255.37	DP573 80M6A
	3.9	900	3.3	228.93	
	1.7	1810	0.85	810	
	1.9	1590	0.95	710	DP475 71M4B
	2.2	1390	1.10	615	
	2.6	1210	1.25	538	
	2.9	1080	1.40	480	DP474 71M4B
	3.3	920	1.65	413	
	3.8	830	1.80	367	
	4.3	730	2.0	323	
	4.0	890	1.70	225.79	
	4.5	780	1.95	198.31	
	4.8	740	2.0	188.40	DP473 80M6A
	5.4	655	2.3	166.47	
	6.3	560	2.7	142.27	
	4.9	720	2.1	281.71	
	5.2	675	2.2	262.93	
	6.1	580	2.6	225.79	DP473 71M4B
	7.0	510	3.0	198.31	
	3.2	980	0.85	437	
	3.6	870	0.95	384	
	4.1	770	1.05	338	DP375 71M4B
	4.5	685	1.20	305	
	5.4	575	1.40	257	
	6.0	510	1.60	231	
	4.6	765	1.05	195.39	
	5.3	670	1.20	170.85	
	5.6	635	1.30	162.31	DP373 80M6A
6.3	560	1.45	142.40		
7.4	475	1.75	120.79		
6.0	585	1.40	228.99		
7.1	500	1.65	195.39	DP373 71M4B	
8.1	435	1.85	170.85		
8.5	415	1.95	162.31		
9.7	365	2.2	142.40		
11	310	2.7	120.79		
5.4	570	1.05	255		
6.9	445	1.35	201	DP285 71M4B	
7.6	405	1.50	181		
5.3	605	1.00	262		
6.1	515	1.15	226		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.37	6.9	455	1.30	200	DP285 71M4B
	8.1	385	1.55	170	
	9.1	345	1.75	152	
	10	300	2.0	134	
	5.7	615	0.95	157.09	DP283 80M6A
	6.6	535	1.10	136.16	
	7.1	500	1.20	127.27	
	8.2	430	1.40	110.01	
	6.9	510	1.15	199.70	DP283 71M4B
	7.5	470	1.30	183.60	
	8.8	400	1.50	157.09	
	10	350	1.70	136.16	
	11	325	1.85	127.27	
	13	280	2.1	110.01	
	15	240	2.5	93.47	
	17	215	2.8	83.46	
	7.9	395	1.00	175	DP275 71M4B
	9.4	335	1.20	147	
	11	295	1.35	130	
	9.2	385	1.05	150.06	DP273 71M4B
	11	335	1.20	130.07	
	13	270	1.50	105.09	
	15	230	1.75	89.29	
	17	205	1.95	79.72	
	20	174	2.3	68.09	
	21	167	2.4	65.36	
	16	220	0.90	86.53	DP173 71M4B
	17	205	0.95	80.65	
	20	181	1.10	70.50	
	21	169	1.20	66.09	
	24	149	1.35	58.32	
	25	140	1.45	54.54	
	27	132	1.50	51.70	
	29	120	1.65	47.02	
	31	112	1.80	43.83	
	36	98	2.0	38.31	
	38	92	2.2	35.91	
	44	81	2.5	31.69	
	49	72	2.8	28.09	
	58	61	3.3	23.88	
58	61	3.3	23.63	DP172 71M4B	
67	53	3.8	20.57		
72	49	4.1	19.27		
81	44	4.6	17.03		
87	41	4.9	15.81		
96	37	5.4	14.33		
107	33	6.1	12.87		
125	28	6.7	11.08		
132	27	6.9	10.42		
154	23	7.6	8.97		
186	19	7.6	7.44		
205	17	8.1	6.74		
228	16	8.7	6.05		
265	13	9.4	5.21		
282	13	9.6	4.90		
327	11	10	4.22		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.55	0.22	20500	0.90	6295	DP975 80M4A
	0.25	17400	1.05	5404	
	0.49	8930	2.0	2780	
	0.56	7760	2.3	2427	
	0.81	5520	3.3	1674	
	1.0	4220	4.3	1308	
	1.2	3730	4.8	1169	
	0.35	13300	0.90	3926	DP876 80M4A
	0.39	11600	1.05	3454	
	0.45	10200	1.20	3031	
	0.57	8100	0.95	2369	DP775 80M4A
	0.66	7070	1.10	2068	
	0.74	6110	1.25	1826	
	0.85	5440	1.40	1597	
	0.97	4750	1.60	1401	
	1.1	4160	1.85	1243	
	1.2	3700	2.1	1087	
	1.4	3180	2.4	950	
	1.6	2770	2.8	834	
	2.1	2150	3.6	640	
	1.0	4530	0.95	1327	
	1.2	4060	1.05	1171	
	1.3	3550	1.20	1022	
	1.5	3050	1.40	898	
	1.7	2690	1.60	784	
	2.0	2340	1.85	690	DP674 80M4A
	2.2	2060	2.1	605	
	2.6	1790	2.4	529	
	2.9	1580	2.7	467	
	3.4	1360	3.2	406	
	3.7	1220	3.5	363	
	1.7	2660	1.15	780	
	2.0	2290	1.30	674	
	2.2	2080	1.45	609	
	2.6	1750	1.70	545	
	3.0	1540	1.95	452	
	3.9	1160	2.6	345	
	3.3	1580	1.90	270.68	DP573 80M6B
	3.5	1490	2.0	255.37	
	3.9	1340	2.2	228.93	
	4.6	1150	2.6	197.20	
	5.0	1050	2.9	179.97	
	2.5	1860	0.80	538	DP474 80M4A
	2.8	1660	0.90	480	
	3.3	1420	1.05	413	
	3.7	1270	1.20	367	
	4.2	1120	1.35	323	
4.0	1320	1.15	225.79	DP473 80M6B	
4.5	1160	1.30	198.31		
4.8	1100	1.35	188.40		
5.4	970	1.55	166.47		
6.3	830	1.80	142.27		
6.9	760	1.95	130.42		
6.0	870	1.70	225.79	DP473 80M4A	
6.9	765	1.95	198.31		
7.2	730	2.1	188.40		
8.2	645	2.3	166.47		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.55	9.6	550	2.7	142.27	DP473 80M4A
	10	505	3.0	130.42	
	12	440	3.4	114.45	
	13	420	3.6	108.46	
	14	365	4.1	94.93	
	5.3	890	0.90	257	DP375 80M4A
	5.9	790	1.05	231	
	6.6	705	1.15	205	
	7.8	600	1.35	175	
	7.0	755	1.10	195.39	DP373 80M4A
	8.0	660	1.25	170.85	
	8.4	625	1.30	162.31	
	9.6	550	1.50	142.40	
	11	465	1.75	120.79	
	12	420	1.95	109.04	
	14	370	2.2	95.94	
	15	350	2.3	90.59	
	17	310	2.7	79.76	
	8.7	605	1.00	157.09	DP283 80M4A
	10	525	1.15	136.16	
	11	490	1.20	127.27	
	12	425	1.40	110.01	
	15	360	1.65	93.47	
	16	320	1.85	83.46	
	19	280	2.1	72.98	
	20	265	2.3	68.22	
	23	230	2.6	58.97	
	13	405	1.00	105.09	DP273 80M4A
	15	345	1.15	89.29	
	17	310	1.30	79.72	
	20	265	1.50	68.09	
	21	250	1.60	65.36	
24	220	1.85	56.49		
28	185	2.2	48.00		
32	166	2.4	42.86		
23	225	0.90	58.32	DP173 80M4A	
25	210	0.95	54.54		
26	200	1.00	51.70		
29	182	1.10	47.02		
31	169	1.20	43.83		
36	148	1.35	38.31		
38	139	1.45	35.91		
43	122	1.65	31.69		
48	109	1.85	28.09		
57	92	2.2	23.88		
58	91	2.2	23.63	DP172 80M4A	
66	79	2.5	20.57		
71	74	2.7	19.27		
80	66	3.0	17.03		
95	55	3.6	14.33		
106	50	4.0	12.87		
123	43	4.4	11.08		
130	40	4.6	10.42		
152	35	5.1	8.97		
170	31	5.5	8.01		
183	29	5.1	7.44		
202	26	5.4	6.74		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.55	225	23	5.8	6.05	DP172 80M4A
	261	20	6.2	5.21	
	277	19	6.3	4.90	
	322	16	6.8	4.22	
	361	15	7.2	3.77	
0.75	0.50	12300	1.45	2780	DP975 80M4B
	0.57	10700	1.70	2427	
	0.82	7580	2.4	1674	
	1.1	5830	3.1	1308	
	1.2	5170	3.5	1169	
	0.46	13800	0.85	3031	DP875 80M4B
	0.52	12400	0.95	2672	
	0.59	10900	1.10	2357	
	0.68	9390	1.30	2038	
	0.77	8190	1.45	1784	
	0.86	7350	1.65	1606	
	0.76	8360	0.90	1826	
	0.86	7400	1.05	1597	
	0.98	6470	1.20	1401	
	1.1	5690	1.35	1243	
	1.3	5040	1.50	1087	
	1.5	4350	1.75	950	
	1.7	3800	2.0	834	
	2.2	2940	2.6	640	DP774 80M4B
	3.2	2000	3.8	436	
	2.7	2640	2.9	254.40	DP773 80M4B
	1.4	4810	0.90	1022	DP675 80M4B
	1.5	4150	1.05	898	
	1.8	3660	1.20	784	
	2.0	3190	1.35	690	DP674 80M4B
	2.3	2800	1.55	605	
	2.6	2440	1.75	529	
	3.0	2160	2.0	467	
	3.4	1860	2.3	406	
	3.8	1670	2.6	363	
	3.2	2200	1.95	276.77	DP673 90S6A
	3.5	2020	2.1	253.41	
	4.0	1780	2.4	223.88	
2.0	3120	0.95	674	DP574 80M4B	
2.3	2830	1.05	609		
2.7	2390	1.25	515		
3.0	2100	1.45	452		
4.0	1590	1.90	345		
3.3	2150	1.40	270.68	DP573 90S6A	
3.5	2030	1.50	255.37		
3.9	1820	1.65	228.93		
4.6	1570	1.90	197.20		
5.0	1430	2.1	179.97		
5.6	1270	2.4	159.61		
5.1	1400	2.1	270.68	DP573 80M4B	
5.4	1330	2.3	255.37		
6.0	1190	2.5	228.93		
3.8	1720	0.85	367	DP474 80M4B	
4.3	1520	1.00	323		
4.9	1310	1.15	280		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.75	4.5	1580	0.95	198.31	DP473 90S6A
	4.8	1500	1.00	188.40	
	5.4	1320	1.15	166.47	
	6.3	1130	1.30	142.27	
	6.9	1040	1.45	130.42	
	6.1	1170	1.30	225.79	DP473 80M4B
	7.0	1030	1.45	198.31	
	7.3	980	1.55	188.40	
	8.3	860	1.75	166.47	
	9.7	740	2.0	142.27	
	11	675	2.2	130.42	
	12	595	2.5	114.45	
	13	565	2.7	108.46	
	8.1	890	0.90	170.85	DP373 80M4B
	8.5	840	0.95	162.31	
	9.7	740	1.10	142.40	
	11	625	1.30	120.79	
	13	565	1.45	109.04	
	14	500	1.65	95.94	
	15	470	1.75	90.59	
	17	415	2.0	79.76	
	20	350	2.3	67.65	
	23	315	2.6	61.07	
	11	660	0.90	127.27	DP283 80M4B
	13	570	1.05	110.01	
	15	485	1.25	93.47	
	17	435	1.40	83.46	
	19	380	1.60	72.98	
	20	355	1.70	68.22	
	23	305	1.95	58.97	
	28	260	2.3	50.10	
31	230	2.6	44.73		
17	415	0.95	79.72	DP273 80M4B	
20	355	1.15	68.09		
21	340	1.20	65.36		
24	295	1.35	56.49		
29	250	1.60	48.00		
32	220	1.80	42.86		
38	190	2.1	36.61		
40	178	2.2	34.29		
48	150	2.7	28.88		
29	145	0.80	47.02	DP173 80M4B	
31	230	0.90	43.83		
36	199	1.00	38.31		
38	186	1.05	35.91		
44	165	1.20	31.69		
49	146	1.35	28.09		
58	124	1.60	23.88		
58	123	1.65	23.63	DP172 80M4B	
67	107	1.85	20.57		
72	100	2.0	19.27		
81	88	2.3	17.03		
96	74	2.7	14.33		
107	67	3.0	12.87		
125	58	3.3	11.08		
132	54	3.4	10.42		
154	47	3.8	8.97		
205	35	4.0	6.74		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
0.75	228	31	4.3	6.05	DP172 80M4B
	265	27	4.6	5.21	
	282	25	4.7	4.90	
	327	22	5.0	4.22	
	366	20	5.4	3.77	
1.1	0.50	18200	1.00	2780	DP975 90S4A
	0.58	16000	1.15	2427	
	0.64	14300	1.25	2185	
	0.72	12700	1.40	1944	
	0.84	11200	1.60	1674	
	1.1	8640	2.1	1308	
	1.2	7680	2.3	1169	
	1.5	6190	2.9	953	
	1.7	5450	3.3	845	
	3.1	2880	6.2	446	DP974 90S4A
	4.6	1950	9.2	302	
	0.69	13800	0.85	2038	DP875 90S4A
	0.79	12000	1.00	1784	
	0.87	10800	1.10	1606	
	1.0	9350	1.30	1390	
	1.1	8170	1.45	1220	
	1.3	7260	1.65	1077	
	1.1	8360	0.90	1243	DP775 90S4A
	1.3	7370	1.05	1087	
	1.5	6390	1.20	950	
	1.7	5590	1.35	823	
	1.9	4910	1.55	723	
	2.2	4310	1.80	640	
	2.0	4670	0.90	690	DP674 90S4A
	2.3	4100	1.05	605	
	2.7	3580	1.20	529	
	3.0	3160	1.35	467	
	3.5	2730	1.55	406	
	3.8	2450	1.75	363	
	3.3	3160	1.35	276.77	
	3.6	2890	1.50	253.41	
	4.1	2560	1.70	223.88	
	4.8	2170	2.0	189.92	
5.3	2000	2.2	174.87		
5.1	2080	2.1	276.77	DP673 90S4A	
5.5	1900	2.3	253.41		
6.2	1680	2.6	223.88		
3.1	3070	1.00	452	DP574 90S4A	
4.1	2330	1.30	345		
4.7	2020	1.50	300		
5.6	1670	1.80	249		
3.4	3090	0.95	270.68	DP573 90L6B	
3.6	2920	1.05	255.37		
4.0	2610	1.15	228.93		
4.7	2250	1.35	197.20		
5.1	2050	1.45	179.97		
5.8	1820	1.65	159.61		
5.2	2030	1.50	270.68	DP573 90S4A	
5.5	1920	1.55	255.37		
6.1	1720	1.75	228.93		
7.1	1480	2.0	197.20		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
1.1	7.8	1350	2.2	179.97	DP573 90S4A
	8.8	1200	2.5	159.61	
	10	1010	3.0	134.16	
	11	930	3.2	123.29	
	7.1	1490	1.00	198.31	DP473 90S4A
	7.4	1410	1.05	188.40	
	8.4	1250	1.20	166.47	
	9.8	1070	1.40	142.27	
	11	980	1.55	130.42	
	12	850	1.75	114.45	
	13	810	1.85	108.46	
	15	710	2.1	94.93	
	16	640	2.3	85.52	
	19	565	2.7	75.02	
	12	910	0.90	120.79	DP373 90S4A
	13	820	1.00	109.04	
	15	720	1.15	95.94	
	15	680	1.20	90.59	
	18	600	1.35	79.76	
	21	510	1.60	67.65	
	23	460	1.80	61.07	
	26	105	2.0	53.73	
	28	380	2.2	50.74	
	32	325	2.5	43.20	
	36	395	2.7	39.23	
	41	255	2.9	34.01	
	17	625	0.95	83.46	DP283 90S4A
	19	550	1.10	72.98	
	21	510	1.15	68.22	
	24	440	1.35	58.97	
	28	375	1.60	50.10	
	31	335	1.80	44.73	
	37	285	2.1	38.21	
	39	270	2.2	35.79	
	46	225	2.6	30.15	
	25	425	0.95	56.49	DP273 90S4A
	29	360	1.10	48.00	
	33	320	1.25	42.86	
	38	275	1.45	36.61	
	41	255	1.55	34.29	
	48	215	1.85	28.88	
	45	230	1.75	30.86	DP173 90S4A
	48	220	1.80	29.32	
	54	193	2.1	25.72	
64	164	2.4	21.82		
71	148	2.7	19.70		
44	240	0.85	31.69		
50	210	0.95	28.09		
59	179	1.10	23.88		
68	154	1.30	20.57	DP172 90S4A	
73	145	1.40	19.27		
82	128	1.55	17.03		
98	108	1.85	14.33		
109	97	2.1	12.87		
126	83	2.3	11.08		
134	78	2.4	10.42		
156	67	2.6	8.97		
175	60	2.8	8.01		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
1.1	208	51	2.8	6.74	DP172 90S4A
	231	45	3.0	6.05	
	269	39	3.2	5.21	
	286	37	3.3	4.90	
	332	32	3.5	4.22	
	372	28	3.7	3.77	
1.5	0.58	21900	0.80	2427	DP975 90L4B
	0.65	19700	0.90	2185	
	0.73	17500	1.05	1944	
	0.84	15300	1.20	1674	
	1.1	11900	1.50	1308	
	1.2	10600	1.70	1169	
	1.5	8540	2.1	953	
	1.7	7530	2.4	845	
	3.2	3980	4.5	446	DP974 90L4B
	4.7	2690	6.7	302	
	0.88	14800	0.80	1606	DP875 90L4B
	1.0	12800	0.95	1390	
	1.2	11200	1.05	1220	
	1.3	9910	1.20	1077	
	1.5	8520	1.40	930	
	1.7	7500	1.60	820	
	1.9	6630	1.80	727	
	2.2	5960	2.0	648	
	1.5	8730	0.90	950	DP775 90L4B
	1.7	7640	1.00	834	
	1.9	6730	1.15	736	
	2.2	5890	1.30	640	DP774 90L4B
	2.5	5110	1.50	560	
	2.9	4460	1.70	489	
	3.2	4010	1.90	436	
	3.8	3400	2.3	370	
	3.6	3960	1.95	254.40	DP773 100L6B
	4.3	3350	2.3	215.37	
	4.6	3100	2.5	199.31	
	5.2	2780	2.8	178.64	
2.7	4880	0.90	529	DP674 90L4B	
3.0	4310	1.00	467		
3.5	3730	1.15	406		
3.9	3340	1.30	363		
3.3	4310	1.00	276.77		DP673 100L6B
3.6	3950	1.10	253.41		
4.1	3490	1.25	223.88		
4.8	2960	1.45	189.92		
5.3	2720	1.60	174.87		
5.1	2810	1.55	276.77	DP673 90L4B	
5.6	2570	1.65	253.41		
6.3	2270	1.90	223.88		
7.4	1930	2.2	189.92		
8.1	1780	2.4	174.87		
4.1	3180	0.95	345	DP574 90L4B	
4.7	2760	1.10	300		
5.7	2290	1.30	249		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
1.5	5.2	2750	1.10	270.68	DP573 90L4B
	5.5	2590	1.15	255.37	
	6.2	2330	1.30	228.93	
	7.2	2000	1.50	197.20	
	7.8	1830	1.65	179.97	
	8.8	1620	1.85	159.61	
	11	1360	2.2	134.16	
	13	1110	2.7	109.49	
	14	990	3.0	97.89	DP473 90L4B
	8.5	1690	0.90	166.47	
	9.9	1450	1.05	142.27	
	11	1320	1.15	130.42	
	12	1160	1.30	114.45	
	13	1100	1.35	108.46	
	15	960	1.55	94.93	
	16	870	1.75	85.52	
	19	760	1.95	75.02	
	19	735	2.0	72.50	
	21	675	2.2	66.46	
	24	595	2.5	58.32	
	26	560	2.7	55.27	
	29	490	3.0	48.37	
	32	445	3.4	43.58	
	37	390	3.9	38.23	DP472 90L4B
	39	370	3.0	36.58	
	45	320	4.3	31.51	DP373 90L4B
	16	920	0.90	90.59	
	18	810	1.00	79.76	
	21	685	1.20	67.65	
	23	620	1.30	61.07	
	26	545	1.50	53.73	
	28	515	1.60	50.74	
	33	440	1.85	43.20	
	36	400	1.95	39.26	DP372 90L4B
	39	370	2.2	36.30	
	44	325	2.5	32.08	
51	280	2.9	27.41		
56	255	3.2	25.13	DP283 90L4B	
24	600	1.00	58.97		
28	510	1.20	50.10		
32	455	1.30	44.73		
37	390	1.55	38.21		
39	365	1.65	35.79		
47	305	1.95	30.15		
33	435	0.90	42.86		DP273 90L4B
39	370	1.10	36.61		
41	350	1.15	34.29		
49	295	1.35	28.88	DP272 90L4B	
46	315	1.30	30.86		
48	300	1.35	29.32		
55	260	1.55	25.72		
65	220	1.80	21.82		
72	200	2.0	19.70		
81	176	2.3	17.33		
86	166	2.4	16.36		
101	142	2.8	13.93		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
1.5	69	210	0.95	20.57	DP172 90L4B
	73	196	1.00	19.27	
	83	173	1.15	17.03	
	98	146	1.35	14.33	
	110	131	1.55	12.87	
	127	113	1.70	11.08	
	135	106	1.75	10.42	
	157	91	1.90	8.97	
	176	81	2.1	8.01	
	209	69	2.0	6.74	
	233	62	2.2	6.05	
	271	53	2.4	5.21	
	288	50	2.4	4.90	
	334	43	2.6	4.22	
374	38	2.7	3.77		
2.2	0.98	18900	0.95	1441	DP975 100L4A
	1.1	17600	1.00	1308	
	1.2	15700	1.15	1169	
	1.5	12700	1.40	953	
	1.7	11200	1.60	845	
	1.9	10100	1.80	764	
	2.1	9020	2.0	680	
	2.5	7610	2.4	576	
	3.2	5940	3.0	446	DP974 100L4A
	4.7	4020	4.5	302	
	5.2	3630	5.0	273	
	6.1	3060	5.9	232	
	7.2	2590	6.9	197	
	1.3	14600	0.80	1077	DP875 100L4A
	1.5	12600	0.95	930	
	1.7	11100	1.10	820	
	1.9	9830	1.20	727	
	2.2	8810	1.35	648	
	2.6	7460	1.60	549	DP874 100L4A
	2.8	6720	1.80	495	
	3.3	5810	2.1	428	
	2.2	8700	1.90	640	DP774 100L4A
	2.5	7580	1.00	560	
	2.9	6610	1.15	489	
	3.2	5930	1.30	436	
	3.8	5030	1.55	370	
	4.2	4520	1.70	333	
	3.7	5690	1.35	254.40	
	4.4	4810	1.60	215.37	DP773 112M6A
	4.7	4450	1.70	199.31	
	5.3	3990	1.90	178.64	
	5.5	3790	2.0	254.40	
6.6	3210	2.4	215.37	DP773 100L4A	
7.1	2970	2.6	199.31		
7.9	2660	2.9	178.64		
3.9	4940	0.85	363		DP674 100L4A
4.9	3890	1.10	285		
5.8	3340	1.30	245		
4.2	5000	0.85	223.88	DP673 112M6A	
5.9	4240	1.00	189.92		
5.4	3910	1.10	174.87		
6.0	3490	1.25	156.30		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
2.2	5.1	4120	1.05	276.77	DP673 100L4A
	5.6	3780	1.15	253.41	
	6.3	3340	1.30	223.88	
	7.4	2830	1.50	189.92	
	8.1	2610	1.65	174.87	
	9.0	2330	1.85	156.30	
	10	2100	2.0	140.71	
	11	1900	2.3	127.42	
	7.2	2940	1.00	197.20	DP573 100L4A
	7.8	2680	1.10	179.97	
	8.8	2380	1.25	159.61	
	11	2000	1.50	134.16	
	11	1840	1.65	123.29	
	13	1630	1.85	109.49	
	14	1460	2.1	97.89	
	16	1310	2.3	88.01	
	18	1140	2.6	76.39	
	21	1020	2.9	68.40	
	25	850	3.5	56.75	
	28	750	3.9	50.36	
	31	675	4.2	45.28	
	12	1710	0.90	114.45	DP473 100L4A
	13	1620	0.95	108.46	
	15	1410	1.05	94.93	
	16	1270	1.20	85.52	
	19	1120	1.35	75.02	
	21	990	1.50	66.46	
	24	870	1.75	58.32	
	26	820	1.80	55.27	
	29	720	2.1	48.37	
	32	650	2.3	43.58	
	39	545	2.0	36.58	DP472 100L4A
	45	470	2.9	31.51	
	49	430	3.3	28.75	
	55	380	4.0	25.50	
	39	545	2.0	36.58	
	45	470	2.9	31.51	
	49	430	3.3	28.75	
	55	380	4.0	25.50	
	23	910	0.90	61.07	DP373 100L4A
	26	800	1.00	53.73	
	28	755	1.10	50.74	
	33	645	1.25	43.20	
	36	585	1.35	39.26	
	41	505	1.45	34.01	
	44	480	1.70	32.08	DP372 100L4A
	51	410	2.0	27.41	
56	375	2.2	25.13		
64	330	2.5	22.05		
67	310	2.6	20.90		
77	275	3.0	18.29		
32	665	0.90	44.73	DP283 100L4A	
37	570	1.05	38.21		
39	535	1.15	35.79		
47	450	1.30	30.15		
56	370	1.55	24.96	DP282 100L4A	
67	315	1.90	21.17		
74	285	2.1	19.11		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
2.2	84	250	2.4	16.81	DP282 100L4A
	89	235	2.5	15.88	
	55	385	1.05	25.72	DP272 100L4A
	65	328	1.25	21.82	
	72	295	1.35	19.70	
	81	260	1.55	17.33	
	86	245	1.65	16.36	
	101	210	1.95	13.93	
	111	189	2.1	12.66	
	129	163	2.5	10.97	
	157	133	2.5	8.96	
	98	245	0.95	14.33	DP172 100L4A
	110	192	1.05	12.87	
	127	165	1.15	11.08	
	135	155	1.20	10.42	
157	134	1.30	8.97		
176	119	1.40	8.01		
209	100	1.40	6.74		
233	90	1.50	6.05		
271	78	1.60	5.21		
288	73	1.65	4.90		
334	63	1.75	4.22		
374	56	1.85	3.77		
3.0	1.2	21700	0.85	1169	DP975 100L4B
	1.5	17600	1.00	953	
	1.7	15600	1.15	845	
	1.8	14100	1.30	764	
	2.1	12500	1.45	680	
	2.4	10600	1.70	576	
	3.1	8250	2.2	446	DP974 100L4B
	4.6	5580	3.2	302	
	5.1	5040	3.6	273	
	6.1	4250	4.2	232	
	7.1	3610	5.0	197	
	1.9	13600	0.90	727	DP875 100L4B
	2.2	12200	1.00	648	
	2.5	10300	1.15	549	DP874 100L4B
	2.8	9270	1.30	495	
	3.2	8170	0.95	436	DP774 100L4B
	3.8	6930	1.10	370	
	4.2	6240	1.25	333	
	4.8	5460	1.40	291	
	3.7	7750	1.00	254.40	DP773 132S6A
	4.4	6560	1.15	215.37	
	4.7	6070	1.25	199.31	
	5.3	5440	1.40	178.64	
	5.5	5210	1.50	254.40	DP773 100L4B
6.5	4410	1.75	215.37		
7.0	4080	1.90	199.31		
7.8	3660	2.1	178.64		
8.7	3300	2.3	161.28		
6.2	4580	0.95	223.88	DP673 100L4B	
7.4	3890	1.10	189.92		
8.0	3580	1.20	174.87		
9.0	3200	1.35	156.30		
9.9	2880	1.50	140.71		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
3.0	11	2610	1.65	127.42	DP673 100L4B
	12	2310	1.85	112.99	
	14	2090	2.1	102.16	
	16	1840	2.3	89.85	
	10	2750	1.10	134.16	DP573 100L4B
	11	2520	1.20	123.29	
	13	2240	1.35	109.49	
	14	2000	1.50	97.89	
	16	1800	1.65	88.01	
	18	1560	1.90	76.39	
	20	1400	2.1	68.40	
	25	1160	2.6	56.75	
	28	1030	2.8	50.36	
	16	1750	0.85	85.52	DP473 100L4B
	19	1540	1.00	75.02	
	21	1360	1.10	66.46	
	24	1190	1.25	58.32	
	25	1130	1.35	55.27	
	29	990	1.50	48.37	
	32	890	1.70	43.58	
	37	780	1.90	38.23	
	38	750	1.50	36.58	DP472 100L4B
	44	645	2.1	31.51	
	49	590	2.4	28.75	
	55	520	2.9	25.50	
	65	440	3.4	21.43	
	32	880	0.95	43.20	DP373 100L4B
	36	800	0.95	39.26	
	41	695	1.05	34.01	
	44	655	1.25	32.08	DP372 100L4B
	51	560	1.45	27.41	
	56	515	1.60	25.13	
	63	450	1.80	22.05	
	67	430	1.90	20.90	
	77	375	2.2	18.29	
	85	335	2.4	16.48	
	97	295	2.8	14.46	
	56	510	1.15	24.96	DP282 100L4B
	66	435	1.40	21.17	
	73	390	1.55	19.11	
	83	345	1.75	16.81	
	88	325	1.75	15.88	
	104	275	2.2	13.52	DP282 100L4B
	114	250	2.4	12.29	
132	220	2.8	10.64		
71	405	1.00	19.70	DP272 100L4B	
81	355	1.15	17.33		
86	335	1.20	16.36		
100	285	1.40	13.93		
111	260	1.55	12.66		
128	225	1.80	10.97		
156	183	1.80	8.96		
126	225	0.85	11.08	DP172 100L4B	
134	215	0.85	10.42		
156	184	0.95	8.97		
175	164	1.05	8.01		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
3.0	208	138	1.00	6.74	DP172 100L4B
	231	124	1.10	6.05	
	269	107	1.15	5.21	
	286	100	1.20	4.90	
	332	86	1.25	4.22	
	372	77	1.35	3.77	
4.0	1.7	20600	0.85	845	DP975 112M4A
	1.9	18600	0.95	764	
	2.1	16600	1.10	680	
	2.5	14000	1.30	576	
	3.2	10900	1.65	446	DP974 112M4A
	4.7	7390	2.4	302	
	5.2	6670	2.7	273	
	6.1	5640	3.2	232	
	7.2	4780	3.8	197	
	2.6	13600	0.90	549	DP874 112M4A
	2.9	12200	1.00	495	
	3.3	10600	1.15	428	
	3.8	9270	1.30	376	
	4.3	8230	1.95	333	DP774 112M4A
	4.9	7190	1.05	291	
	5.6	6310	1.20	255	
	5.6	6840	1.10	254.40	DP773 112M4A
	6.6	5790	1.35	215.37	
	7.1	5360	1.45	199.31	
	7.9	4810	1.60	178.64	
	8.8	4340	1.75	161.28	
	9.7	3940	1.95	146.49	
	11	3500	2.2	129.97	
	12	3170	2.4	117.94	
	14	2730	2.8	101.38	
	8.1	4700	0.90	174.87	
	9.1	4200	1.00	156.30	
	10	3780	1.15	140.71	
	11	3430	1.25	127.42	
	13	3040	1.40	112.99	
	14	2750	1.55	102.16	
	15	2620	1.65	97.58	
	16	2420	1.80	89.85	
	18	2160	2.0	80.31	
	20	1940	2.2	72.30	
	22	1760	2.4	65.47	
	13	2950	1.00	109.49	DP573 112M4A
	15	2630	1.15	97.89	
	16	2370	1.25	88.01	
	19	2050	1.45	76.39	
	21	1840	1.65	68.40	
	25	1530	1.95	56.75	
28	1350	2.2	50.36		
31	1220	2.3	45.28		
21	1790	0.85	66.46	DP473 112M4A	
24	1570	0.95	58.32		
26	1490	1.00	55.27		
29	1300	1.15	48.37		
33	1170	1.30	43.58		
37	1030	1.45	38.23		
42	910	1.65	33.74		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
4.0	47	800	1.85	29.91	DP473 112M4A
	56	685	2.1	25.54	
	45	850	1.65	31.51	DP472 112M4A
	49	775	1.85	28.75	
	56	685	2.2	25.50	
	66	575	2.6	21.43	
	72	530	2.8	19.70	
	52	735	1.10	27.41	DP372 112M4A
	57	675	1.20	25.13	
	64	595	1.40	22.05	
	68	560	1.45	20.90	
	78	490	1.64	18.29	
	86	445	1.85	16.48	
	98	390	2.1	14.46	
	111	345	2.4	12.76	
	126	305	2.7	11.31	
	147	260	3.2	9.66	
	156	245	2.2	9.08	
	165	230	2.5	8.60	
	189	205	3.0	7.53	
	209	183	3.4	6.78	
	239	160	3.8	5.95	
	270	141	4.2	5.25	
	305	125	4.5	4.66	
	357	107	4.7	3.97	
	67	570	1.05	21.17	DP282 112M4A
	74	515	1.15	19.11	
	84	450	1.35	16.81	
	89	425	1.40	15.88	
	105	365	1.65	13.52	
116	330	1.80	12.29		
133	285	2.1	10.64		
153	250	1.70	9.31		
173	220	1.90	8.19		
184	210	2.0	7.73		
216	177	2.4	6.58		
237	161	2.6	5.98		
274	139	3.0	5.18		
5.5	2.5	19300	0.95	576	DP974 132S4A
	2.8	16800	1.05	503	
	3.2	15000	1.20	446	
	4.1	11800	1.55	353	
	4.7	10100	1.80	302	
	5.2	9160	1.95	273	
	6.2	7750	2.3	232	
	7.1	6750	2.7	202	
	7.3	6570	2.7	197	
	3.4	14000	0.85	418	DP874 132S4A
	3.8	12600	0.95	374	
	4.6	10500	1.15	312	
	4.9	9840	1.20	293	
	5.5	8680	1.40	259	
	6.4	7500	1.60	223	
	3.3	14500	0.85	428	
	3.8	12700	0.95	376	
	6.6	7910	0.95	215.37	DP773 132S4A
7.2	7320	1.05	199.31		
8.0	6560	1.15	178.64		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min ⁻¹)	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
5.5	8.9	5920	1.30	161.28	DP773 132S4A
	9.8	5380	1.45	146.49	
	11	4770	1.60	129.97	
	12	4330	1.75	117.94	
	14	3720	2.1	101.38	
	15	3400	2.3	92.47	
	16	3250	2.4	88.49	
	17	3080	2.5	83.99	DP673 132S4A
	11	4680	0.90	127.42	
	13	4150	1.05	112.99	
	14	3750	1.15	102.16	
	15	3580	1.20	97.58	
	16	3300	1.30	89.85	
	17	3180	1.35	86.59	
	18	2950	1.45	80.31	
	19	2780	1.55	75.63	
	20	2660	1.60	72.30	
	22	2400	1.80	65.47	
	25	2130	2.0	58.06	
	27	1930	2.2	52.49	DP573 132S4A
	16	3230	0.95	88.01	
	19	2810	1.05	76.39	
	21	2510	1.20	68.40	
	25	2080	1.45	56.75	
	28	1850	1.60	50.36	
	32	1660	1.70	45.28	DP572 132S4A
	36	1440	1.90	39.30	
	41	1290	2.0	35.19	
	49	1070	2.3	29.20	
	42	1250	2.1	33.92	
	50	1060	2.3	28.78	
	54	970	3.1	26.50	
	60	870	3.5	23.68	DP473 132S4A
	30	1780	0.85	48.37	
	33	1600	0.95	43.58	
	37	1400	1.05	38.23	
	42	1240	1.20	33.74	
	48	1100	1.35	29.91	
	56	940	1.55	25.54	DP472 132S4A
	56	940	1.60	25.50	
	67	785	1.90	21.43	
	73	725	2.1	19.70	
82	645	2.3	17.49		
91	575	2.6	15.64		
102	515	2.9	14.06		
117	450	3.3	12.21	DP372 132S4A	
65	810	1.00	22.05		
68	770	1.05	20.90		
78	670	1.20	18.29		
87	605	1.35	16.48		
99	530	1.55	14.46		
112	470	1.75	12.76		
126	415	1.95	11.31		
148	355	2.3	9.66		
158	335	1.60	9.08		
166	315	1.80	8.60		
190	275	2.2	7.53		
211	250	2.5	6.78		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
5.5	240	220	2.8	5.95	DP372 132S4A
	272	193	3.1	5.25	
	307	171	3.3	4.66	
	360	146	3.4	3.97	
	85	620	0.95	16.81	DP282 132S4A
	90	585	1.05	15.88	
	106	495	1.20	13.52	
	116	450	1.35	12.29	
	134	390	1.55	10.64	
	175	300	1.40	8.19	
	185	285	1.50	7.73	
	217	240	1.75	6.58	
	239	220	1.90	5.98	
	276	190	2.2	5.18	
7.5	3.6	20000	0.90	267.43	DP973 160M6A
	4.4	16200	1.10	217.62	
	5.4	13300	1.35	178.20	
	5.9	12200	1.50	162.96	
	6.8	10600	1.70	141.80	
	7.7	9340	1.95	125.14	
	8.9	8090	2.2	108.49	
	9.9	7200	2.5	96.53	
	11	6400	2.8	85.80	
	12	5850	3.1	78.46	
	14	5090	3.5	68.28	
	16	4500	4.0	60.25	
	18	3900	4.6	52.24	
	4.6	14300	0.85	312	
	4.9	13500	0.90	293	
	5.5	11900	1.00	259	
	6.4	10300	1.15	223	
	7.2	9080	1.30	198	
	5.6	12700	0.95	170.38	DP873 160M6A
	6.2	11500	1.05	153.27	
	7.7	9350	1.30	125.04	
	8.4	8530	1.40	114.04	
	8.4	8560	1.40	170.38	DP873 132M4B
	9.3	7700	1.55	153.27	
	11	6280	1.90	125.04	
	8.0	8950	0.85	178.64	DP773 132M4B
	8.9	8080	0.95	161.28	
	9.8	7340	1.05	146.49	
	11	6410	1.20	129.97	
	12	5910	1.30	117.94	
	14	5080	1.50	101.38	
	15	4630	1.65	92.47	
	16	4430	1.75	88.49	
	17	4210	1.85	83.99	
	19	3730	2.1	74.52	
	21	3390	2.3	67.62	
	15	4890	0.90	97.58	DP673 132M4B
	16	4500	0.95	89.85	
	17	4340	1.00	86.59	
	18	4020	1.05	80.31	
	19	3790	1.15	75.63	
	20	3620	1.20	72.30	
22	3280	1.30	65.47		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
7.5	25	2910	1.50	58.06	DP673 132M4B
	27	2630	1.65	52.49	
	32	2230	1.95	44.49	
	37	1950	2.2	38.86	
	44	1630	2.6	32.50	
	33	2170	1.40	43.28	DP672 132M4B
	39	1840	1.65	36.64	
	42	1700	2.5	33.91	
	47	1520	2.8	30.39	
	25	2840	1.05	56.75	
	28	2520	1.15	50.36	
	32	2270	1.25	45.28	
	36	1970	1.40	39.30	
	41	1760	1.50	35.19	
	49	1460	1.70	29.20	
	50	1440	1.70	28.78	
	54	1330	2.3	26.50	
	60	1190	2.5	23.68	
	67	1070	2.8	21.32	
	74	970	3.1	19.31	
	84	860	3.5	17.12	
	92	775	3.9	15.48	
	42	1690	0.90	33.74	DP473 132M4B
	48	1500	1.00	29.91	
	56	1280	1.15	25.54	
	56	1280	1.15	25.50	DP472 132M4B
	67	1070	1.40	21.43	
	73	990	1.50	19.70	
	82	880	1.70	17.49	
	91	785	1.90	15.64	
	102	705	2.1	14.06	
	117	610	2.5	12.21	
	131	545	2.7	10.93	
	154	465	2.3	9.30	
173	415	2.6	8.26		
194	370	2.9	7.38		
215	335	3.2	6.64		
248	290	3.7	5.76		
277	260	4.2	5.16		
344	215	4.7	4.28		
11	4.8	20300	0.90	302	DP974 160M4A
	5.3	18300	1.00	273	
	6.2	15500	1.15	232	
	7.1	13500	1.35	202	
	7.3	13200	1.35	197	
	5.4	19500	0.90	178.20	DP973 160L6B
	5.9	17800	1.00	162.96	
	6.8	15500	1.15	141.80	
	7.7	13700	1.30	125.14	
	8.9	11900	1.50	108.49	
	9.9	10600	1.70	96.53	
	11	9390	1.90	85.80	
	12	8590	2.1	78.46	
	5.4	19500	0.90	267.43	
	6.6	15900	1.15	217.62	
	8.1	13000	1.40	178.20	
	8.8	11900	1.50	162.96	
	10	10300	1.75	141.80	



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
11.0	12	9130	1.95	125.14	DP973 160M4A
	13	7910	2.3	108.49	
	15	7040	2.6	96.53	
	17	6260	2.9	85.80	
	18	5720	3.1	78.46	
	21	4980	3.6	68.28	
	6.4	15000	0.80	223	DP874 160M4A
	7.3	13300	0.90	198	
	8.7	11100	1.10	166	
	7.7	13700	0.85	125.04	DP873 160L6B
	8.4	12500	0.95	114.04	
	9.7	10800	1.10	98.69	
	11	9550	1.25	87.08	
	13	8250	1.45	75.21	
	8.4	12500	0.95	170.38	
	9.4	11200	1.05	153.27	
	11	9150	1.30	125.04	
	13	8340	1.45	114.04	
	15	7220	1.65	98.69	
	16	6370	1.90	87.08	
	19	5500	2.2	75.21	
	12	8600	0.90	117.94	DP773 160M4A
	14	7400	1.05	101.38	
	16	6750	1.15	88.49	
	17	6130	1.25	83.99	
	19	5440	1.40	74.52	
	21	4930	1.55	67.62	
	25	4240	1.80	58.12	
	28	3700	2.1	50.73	
	33	3140	2.5	43.03	
	43	2470	3.0	33.79	DP772 160M4A
	52	2010	3.9	27.57	
	57	1830	4.3	25.14	
22	4780	0.90	65.47	DP673 160M4A	
25	4240	1.00	58.06		
27	3830	1.10	52.49		
32	3250	1.30	44.49		
37	2830	1.50	38.86		
44	2370	1.80	32.50		
42	2470	1.75	33.91	DP672 160M4A	
47	2220	1.95	30.39		
52	2000	2.2	27.44		
58	1820	2.4	24.92		
65	1610	2.7	22.11		
37	2870	0.95	39.30	DP572 160M4A	
41	2570	1.00	35.19		
49	2130	1.20	29.20		
54	1930	1.55	26.50		
61	1730	1.75	23.68		
68	1560	1.95	21.32		
75	1410	2.1	19.31		
84	1250	2.4	17.12		
93	1130	2.7	15.48		
110	960	3.1	13.12		
73	1440	1.05	19.70	DP472 160M4A	
82	1280	1.20	17.49		
92	1140	1.30	15.64		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
11.0	102	1030	1.45	14.06	DP472 160M4A
	118	890	1.70	12.21	
	132	795	1.90	10.93	
	155	680	1.60	9.30	
	174	605	1.80	8.26	
	195	540	2.0	7.38	
	217	485	2.2	6.64	
	250	420	2.6	5.76	
	279	375	2.9	5.16	
	336	310	3.2	4.28	
15.0	6.3	20900	0.85	232	DP974 160L4B
	7.2	18300	1.00	202	
	7.4	17700	1.00	197	
	6.8	20900	0.85	141.80	DP973 180L6A
	7.8	18500	0.95	125.14	
	8.9	16000	1.10	108.49	
	10	14300	1.25	86.53	
	11	12700	1.40	85.80	
	6.7	21400	0.85	217.62	DP973 160L4B
	8.2	17500	1.05	178.20	
	9.0	16000	1.15	162.96	
	10	13900	1.30	141.80	
	12	12300	1.45	125.14	
	13	10600	1.70	108.49	
	15	9470	1.90	96.53	
	17	8420	2.1	85.80	
	19	7700	2.3	78.46	
	21	6700	2.7	68.28	
	24	5910	3.0	60.25	
	9.8	14600	0.80	98.69	DP873 180L6A
	11	12900	0.95	87.08	
	13	11100	1.10	75.21	
	14	10300	1.15	69.89	
	15	9440	1.25	63.74	
	12	12300	1.00	125.04	DP873 160L4B
	13	11200	1.05	114.04	
	15	9710	1.25	98.69	
	17	8570	1.40	87.08	
	19	7400	1.60	75.21	
	21	6870	1.75	69.89	
	16	9070	0.85	92.47	DP773 160L4B
	17	8680	0.90	88.49	
	17	8240	0.95	83.99	
20	7310	1.05	74.52		
22	6630	1.15	67.62		
25	5700	1.35	58.12		
29	4980	1.55	50.73		
34	4220	1.80	43.03		
39	3690	2.1	37.61		
46	3120	2.5	31.80		
43	3320	2.2	33.79	DP772 160L4B	
53	2700	2.9	27.57		
58	2470	3.2	25.14		
67	2130	3.7	21.76		
33	4360	1.00	44.49	DP673 160L4B	
38	3810	1.15	38.86		
45	3190	1.35	32.50		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
15.0	43	3330	1.30	33.91	DP672 160L4B
	48	2980	1.45	30.39	
	53	2690	1.60	27.44	
	59	2450	1.75	24.92	
	66	2170	2.0	22.11	
	73	1970	2.2	20.07	
	85	1690	2.5	17.25	
	97	1480	2.9	15.06	
	114	1250	3.4	12.77	
	131	1100	3.7	11.16	
	55	2600	1.15	26.50	DP572 160L4B
	62	2320	1.30	23.68	
	68	2090	1.45	21.32	
	76	1890	1.60	19.31	
	85	1680	1.80	17.12	
	94	1520	2.0	15.48	
	111	1290	2.3	13.12	
	127	1120	2.7	11.46	
	152	940	3.1	9.58	
176	810	1.90	8.30		
199	720	2.1	7.35		
220	650	2.3	6.65		
259	555	2.8	5.63		
297	485	3.2	4.92		
355	405	3.6	4.12		
18.5	7.2	22500	0.80	202	DP974 180M4A
	7.5	21800	0.80	197	
	8.2	21500	0.85	178.20	DP973 180M4A
	9.0	19700	0.90	162.96	
	10	17100	1.05	141.80	
	12	15100	1.20	125.14	
	14	13100	1.40	108.49	
	15	11600	1.55	96.53	
	17	10300	1.75	85.80	
	19	9760	1.90	78.46	
	21	8230	2.2	68.28	
	24	7270	2.5	60.25	
	28	6300	2.9	52.24	
	13	13800	0.85	114.04	DP873 180M4A
	15	11900	1.00	98.69	
	17	10500	1.15	87.08	DP873 180M4A
	19	9090	1.30	75.21	
	21	8450	1.40	69.89	
	23	7710	1.55	63.74	
	26	6670	1.80	55.16	
	30	5880	2.0	48.67	
	20	8990	0.85	74.52	DP773 180M4A
	22	8150	0.95	67.62	
	25	7010	1.10	58.12	
	29	6120	1.25	50.73	
	34	5190	1.50	43.03	
	39	4540	1.70	37.61	
46	3830	2.0	31.80		
43	4070	1.80	33.79	DP772 180M4A	
53	3320	2.4	27.57		
58	3030	2.6	25.14		
67	2620	3.0	21.76		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
18.5	38	4690	0.90	38.86	DP673 180M4A
	45	3920	1.10	32.50	
	53	3310	1.30	27.44	DP672 180M4A
	59	3010	1.45	24.92	
	66	2670	1.60	22.11	
	73	2420	1.80	20.07	
	85	2080	2.1	17.25	
	97	1820	2.4	15.06	
	115	1540	2.8	12.77	
	131	1350	3.0	11.16	
	69	2570	1.15	21.32	DP572 180M4A
	76	2330	1.30	19.31	
	86	2060	1.45	17.12	
	95	1870	1.60	15.48	
	112	1580	1.90	13.12	
	128	1380	2.2	11.46	
	153	1160	2.5	9.58	
	177	1000	1.55	8.30	
	199	890	1.75	7.35	
	220	800	1.90	6.65	
	260	680	2.2	5.63	
	298	595	2.6	4.92	
	356	495	2.9	4.12	
	22	10	20900	0.85	96.53
11		18600	0.95	85.80	
12		17000	1.05	78.46	
14		14800	1.20	68.28	
10		20300	0.90	141.80	DP973 180L4B
12		17900	1.00	125.14	
14		15600	1.15	108.49	
15		13800	1.30	96.53	
17		12300	1.45	85.80	
19		11300	1.60	78.46	
21		9790	1.85	68.28	
24		8640	2.1	60.25	
28		7490	2.4	52.24	
32		6660	2.7	46.48	
37		5740	3.1	40.06	
45		4670	3.9	32.55	
15		14200	0.85	98.69	DP873 180L4B
17		12500	0.95	87.08	
19		10800	1.10	75.21	
21		10000	1.20	69.89	
23		9160	1.30	63.74	
26		7930	1.50	55.16	
30		7000	1.70	48.67	
35		6040	2.0	42.04	
25		8330	0.90	58.12	DP773 180L4B
29		7280	1.05	50.73	
34		6170	1.25	43.03	
39		5390	1.40	37.61	
46		4560	1.70	31.80	
43		4850	1.55	33.76	DP772 180L4B
53		3950	2.0	27.57	
58		3610	2.2	25.14	
67	3120	2.5	21.76		
76	2750	2.8	19.20		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
22	53	3940	1.10	27.44	DP672 180L4B
	59	3570	1.20	24.02	
	66	3170	1.35	22.11	
	73	2880	1.50	20.07	
	85	2470	1.75	17.25	
	97	2160	2.0	15.06	
	115	1830	2.3	12.77	
	131	1600	2.6	11.16	
	69	3060	1.00	21.32	DP572 180L4B
	76	2770	1.10	19.31	
	86	2460	1.20	17.12	
	95	2220	1.35	15.48	
	112	1880	1.60	13.12	
	128	1640	1.85	11.46	
	153	1370	2.1	9.58	
	177	1190	1.30	8.30	
	199	1050	1.45	7.35	
	220	950	1.60	6.65	
	260	810	1.90	5.63	
	298	705	2.2	4.92	
356	590	2.5	4.12		
30	14	21100	0.85	108.49	DP973 200L4A
	15	18800	0.95	96.53	
	17	16700	1.10	85.80	
	19	15300	1.20	78.46	
	22	13300	1.35	68.28	
	24	11700	1.55	60.25	
	28	10200	1.75	52.24	
	32	9060	2.0	46.48	
	37	7810	2.3	40.06	
	19	14700	0.80	75.21	DP873 200L4A
	21	13700	0.90	69.89	
	23	12500	0.95	63.74	
	27	10800	1.10	55.16	
	30	9510	1.25	48.67	
	35	8210	1.45	42.04	
	39	7270	1.65	37.18	
	47	6110	1.95	31.25	
	58	4930	2.4	25.24	
	55	5240	1.60	26.79	DP872 200L4A
	60	4790	1.80	24.50	
	69	4170	2.9	21.32	
	78	3680	3.0	18.82	
	34	8390	0.90	43.03	DP773 200L4A
	39	7330	1.05	37.61	
	46	6200	1.25	31.80	
	53	5370	1.45	27.57	DP772 200L4A
	58	4900	1.60	25.14	
	68	4240	1.85	21.76	
	77	3740	2.1	19.20	
	89	3230	2.4	16.58	
100	2860	2.7	14.67		
119	2400	2.9	12.33		
148	1940	3.3	9.96		
66	4310	1.00	22.11	DP672 200L4A	
73	3910	1.10	20.07		
85	3360	1.30	17.25		
98	2930	1.45	15.06		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type		
30	115	2490	1.75	12.77	DP672 200L4A		
	132	2180	1.96	11.16			
	162	1770	1.35	9.06			
	179	1600	1.45	8.22			
	208	1380	1.70	7.07			
	238	1200	1.85	6.17			
	281	1020	2.1	5.23			
	321	890	2.3	4.57			
37	17	20600	0.85	85.80	DP973 225S4A		
	19	18900	0.95	78.46			
	22	16400	1.10	68.28			
	24	14500	1.25	60.25			
	28	12600	1.45	52.24			
	32	11200	1.60	46.48			
	37	9630	1.85	40.06			
	45	7820	2.3	32.55			
	53	6630	2.7	27.60			
	37	27	13300	0.90	55.16	DP873 225S4A	
		30	11700	1.00	48.67		
		35	10100	1.20	42.04		
		39	8960	1.35	37.18		
		47	7530	1.60	31.25		
		58	6080	1.95	25.24		
		37	55	6460	1.30	26.79	DP872 225S4A
			60	5910	1.45	24.50	
			69	5140	2.3	21.32	
			78	4530	2.4	18.82	
	90		3930	2.8	16.31		
	101		3500	3.1	14.51		
	117		3010	3.3	12.51		
	144		2450	3.9	10.16		
	166		2130	3.3	8.62		
	186		1890	3.2	7.88		
	37	53	6630	1.20	27.57	DP772 225S4A	
		58	6040	1.30	25.14		
		68	5230	1.50	21.76		
		77	4610	1.70	19.20		
		89	3990	1.95	16.58		
		100	3530	2.2	14.67		
		119	2960	2.4	12.33		
		148	2390	2.7	9.96		
		152	2330	2.1	9.69		
		176	2010	2.4	8.37		
		199	1780	2.6	7.40		
		236	1500	3.1	6.22		
37		22	20000	0.90	68.28		DP973 225M4B
		24	17600	1.00	60.25		
		28	15300	1.20	52.24		
		32	13600	1.30	46.48		
		37	11700	1.55	40.06		
	45	9510	1.90	32.55			
	53	8070	2.2	27.60			
37	30	14300	0.85	48.67	DP873 225M4B		
	35	12300	0.95	42.04			
	39	10900	1.10	37.18			
	47	9160	1.30	31.25			
	58	7400	1.60	25.24			



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES




Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min ⁻¹)	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type		
45	55	7850	1.10	26.79	DP872 225M4B		
	60	7180	1.20	24.50			
	69	6250	1.90	21.32			
	78	5520	2.0	18.82			
	90	4780	2.3	16.31			
	101	4250	2.6	14.51			
	117	3670	2.7	12.51			
	144	2980	3.2	10.16			
	166	2590	2.7	8.62			
	186	2300	2.6	7.88			
	216	1990	3.5	6.80			
	266	1610	3.7	5.52			
	55	53	8060	0.95	27.57	DP772 225M4B	
		58	7350	1.05	25.14		
		68	6060	1.25	21.76		
		77	5610	1.40	19.20		
		89	4850	1.60	16.58		
		100	4290	1.80	14.67		
		119	3600	1.95	12.33		
		148	2910	2.2	9.96		
152		2830	1.75	9.69			
176		2450	1.95	8.37			
199		2160	2.1	7.40			
236		1820	2.5	6.22			
75		24	21500	0.85	60.25		DP973 250M4A
		28	18600	0.95	52.24		
	32	16500	1.10	46.48			
	37	14300	1.25	40.06			
	45	11600	1.55	32.55			
	53	9830	1.85	27.60			
	55	52	10200	1.65	28.60	DP972 250M4A	
		58	9060	1.65	25.43		
		67	7890	2.3	22.16		
		75	7040	2.4	19.77		
		88	6000	3.0	16.85		
		55	40	13300	0.90	37.18	DP872 250M4A
			47	11200	1.10	31.25	
			58	9010	1.35	25.24	
			69	7610	1.60	21.32	
			78	6720	1.65	18.82	
			90	5820	1.90	16.31	
			101	5180	2.1	14.51	
			118	4470	2.2	12.51	
			145	3630	2.6	10.16	
166			3160	2.2	8.62		
187	2810		2.1	7.88			
217	2420		2.9	6.80			
267	1970		3.0	5.52			
315	1670		3.6	4.68			
75	32		22500	0.80	46.48	DP973 280S4A	
	37	19400	0.95	40.06			
	45	15800	1.15	32.55			
	54	13400	1.35	27.60			
	75	52	13800	1.25	28.60	DP973 280S4A	
		58	12300	1.20	25.43		
		67	10700	1.70	22.16		
		75	9570	1.80	19.77		
		88	8150	2.2	16.85		



GÜÇ DEVİR TABLOLARI

GEARED PERFORMANCE TABLES



Motor Gücü Motor Power P_1 (kW)	Çıkış Devri Output Speed n_2 (min^{-1})	Çıkış Momenti Output Torque M_2 (Nm)	Servis Faktörü Service Factor f_B	Tahvil Oranı Ratio i_{ges}	Tip Type
75	106	6760	2.5	13.96	DP972 280S4A
	124	5770	2.8	11.92	
	58	12200	1.00	25.24	DP873 280S4A
	69	10300	1.15	21.32	DP872 280S4A
	78	9130	1.20	18.82	
	90	7920	1.40	16.31	
	102	7040	1.55	14.51	
	118	6070	1.65	12.51	
	145	4930	1.95	10.16	
	167	4290	1.65	8.62	
	188	3810	1.55	7.88	
	218	3290	2.1	6.80	
	268	2670	2.2	5.52	
316	2270	2.7	4.68		
90	45	18900	0.95	32.55	DP973 280M4B
	54	16000	1.10	27.60	
	52	16600	1.00	28.60	DP972 280M4B
	58	14800	1.00	25.43	
	67	12900	1.40	22.16	
	75	11500	1.50	19.77	
	88	9790	1.85	16.85	
	106	8110	2.1	13.96	
	124	6920	2.3	11.92	
	58	14700	0.80	25.24	DP873 280M4B
	69	12400	0.95	21.32	DP872 280M4B
	78	11000	1.00	18.82	
	90	9500	1.15	16.31	
	102	8450	1.30	14.51	
	118	7280	1.35	12.51	
	145	5920	1.60	10.16	
	167	5150	1.35	8.62	
188	4580	1.30	7.88		
218	3950	1.75	6.80		
268	3210	1.85	5.52		
316	2720	2.2	4.68		
110	54	19500	0.90	27.60	DP973 280M4C
	67	15700	1.15	22.16	DP972 280M4C
	75	14000	1.20	19.77	
	88	11900	1.50	16.85	
	106	9880	1.70	13.96	
	125	8430	1.90	11.92	
132	67	18800	1.15	22.16	DP972 315M4B
	75	16800	1.20	19.77	
	88	14300	1.50	16.85	
	106	11900	1.70	13.96	
	125	10100	1.90	11.92	
160	88	17300	1.05	16.85	DP972 315L4C
	106	14400	1.20	13.96	
	125	12300	1.30	11.92	
200	88	21700	0.85	16.85	DP972 315L4E
	106	18000	0.95	13.96	
	125	15300	1.05	11.92	

